

QUESTION 4: Does the timescale of biofilm formation differ between bacterial species? If so, what is the timescale for common causative organisms?

Authors: Claus Moser, Kordo Saeed

Response:

Currently, there is no clinical research available to answer whether the timescale in the development of biofilm formation differs between bacterial species. *In vitro* studies show high variability in biofilm formation based on bacterial strains and conditions. Animal studies have demonstrated rapid (minutes to hours) biofilm formation. The group notes that the timeline of biofilm formation may not correlate with the onset of infection symptoms.

Level of Evidence: Strong

Delegate Vote: Agree: 100%, Disagree: 0%, Abstain: 0% (Unanimous, Strongest Consensus)

Post Meeting Rationale:

A literature search from BNI, CINAHL, EMBASE, HMIC, Medline was performed for (((Timescale) AND ((biofilm OR biofilm formation)) AND Biofilm and organisms). From inception till 10th January 2018. After intense reading of the outcome of the search, the following papers were selected to answer the question.

Regardless of the bacterial species, biofilm formation proceeds in known and well-defined steps. The first step or stage, adhesion, begins when bacteria sense and attach to surface of a material. The second stage is accumulation, where bacteria aggregate to form a mature biofilm. The last stage is dispersion or detachment.¹ The duration of each of these steps in biofilm formation varies from nanoseconds to hours to weeks, depending on various factors such as size of inoculum, mechanism of colonization (direct peri-operative inoculation, later direct colonization due to break of barrier, bacteremic spread), surface properties of the foreign material, bacterial strain and virulence, bacterial species, host immunity, prior antibiotic usage, and environmental factors etc.²⁻¹⁰

For example, *P. aeruginosa* contains several genes that are turned on within 15 minutes of its attachment to a surface that can be a starting point of biofilm formation.³ Kanno et al. developed full thickness wounds on the backs of rats and inoculated them with *P. aeruginosa* carrying the green fluorescent protein gene; they found that biofilms could develop within 8 hours.⁴ When *Staphylococcus aureus* was inoculated onto animal wounds, researchers found the development of clusters of cells (characteristic of a biofilm) after 6- 24 hours post inoculation.^{11,12} Oliveria et al. evaluated the time course evolution of biofilm in mastitis isolates and found no significant difference between *Staphylococcus aureus* and *Staphylococcus epidermidis*. In their study biofilm forming ability increased with incubation period for both species.⁵ Hoffman et al. researched adhesion patterns of single bacterium *Caulobacter crescentus* on a glass surface in a microfluidic device. They showed the importance of pili for hastening bacterial adhesion. In their study, irreversible adhesion events were more frequent in wild-type cells (3.3 events/min) compared to pilus-minus mutant cells (0.2 events/min).¹³

Hironobu Koseki et al.⁶ evaluated the difference in early biofilm formation of polysaccharide intercellular adhesin (PIA)-positive *Staphylococcus epidermidis* on five types of biomaterials and found no significant difference in biofilm coverage rate at 2-4 hr incubation, but at 6 hours post incubation cobalt-chromium-molybdenum alloy (Co-Cr-Mo) had a significantly lower biofilm coverage rate than other materials like titanium alloy (Ti-6Al-4V), commercially pure titanium and stainless steel. In this study authors point out that similar degree of smoothness across materials as a reason for no significant difference between them initially (2-4 hrs). In this study average roughness(Ra) was less than 10nm.⁶ This is corroborated by the previous reports that bacterial adhesion is influenced by the threshold of surface roughness at values more than 200 nm.^{14,15}

Some evidence suggests that bioactive substances such as hydroxyapatite may be more prone to bacterial adhesion than bioinert metals, such as titanium alloys and stainless steel.⁷ Further studies have demonstrated that polymethyl methacrylate (PMMA) is capable of hosting biofilms that can cause acute, chronic, and delayed-onset infections.^{8,9}

Biofilm adherence to biological or synthetic materials and foreign cells and resistance to antimicrobials are poorly understood. As biofilm formation can proceed through different pathways and time ranges, its detection may differ according to the time of observation. Investigational models to determine how environmental factors, such as surface geometry, physical and chemical characteristics, and local blood flow and immune system affect biofilm development on prosthetic joints are essential to further understand various bacterial biofilms and provide insight to therapeutic strategies.

References:

1. Belas R. 2014. Biofilms, flagella, and mechanosensing of surfaces by bacteria. *Trends in Microbiology* 22(9):517–527.
2. Singh PK, Parsek MR, Greenberg EP, Welsh MJ. 2002. A component of innate immunity prevents bacterial biofilm development. *Nature* 417(6888):552–555.
3. Costerton JW, Stewart PS. 2001. Battling biofilms. *Scientific American* 285(1):74–81.
4. Kanno E, Toriyabe S, Zhang L, et al. 2010. Biofilm formation on rat skin wounds by *Pseudomonas aeruginosa* carrying the green fluorescent protein gene. *Experimental Dermatology* 19(2):154–156.
5. Oliveira M, Nunes SF, Carneiro C, et al. 2007. Time course of biofilm formation by *Staphylococcus aureus* and *Staphylococcus epidermidis* mastitis isolates. *Veterinary Microbiology* 124(1–2):187–191.
6. Koseki H, Yonekura A, Shida T, et al. 2014. Early Staphylococcal Biofilm Formation on Solid Orthopaedic Implant Materials: In Vitro Study. *PLoS ONE* 9(10):e107588.
7. Oga M, Arizono T, Sugioka Y. 1993. Bacterial adherence to bioinert and bioactive materials studied in vitro. *Acta Orthopaedica Scandinavica* 64(3):273–276.
8. Trampuz A, Zimmerli W. 2006. Diagnosis and treatment of infections associated with fracture-fixation devices. *Injury* 37(2):S59–S66.
9. Neut D, van de Belt H, Stokroos I, et al. 2001. Biomaterial-associated infection of gentamicin-loaded PMMA beads in orthopaedic revision surgery. *Journal of Antimicrobial Chemotherapy* 47(6):885–891.
10. Arnold W V, Shirliff ME, Stoodley P. 2014. Bacterial biofilms and periprosthetic infections. *Instructional course lectures* 63:385–91.
11. Akiyama H, Kanzaki H, Tada J, Arata J. 1996. *Staphylococcus aureus* infection on cut wounds in the mouse skin: experimental staphylococcal botryomycosis. *Journal of Dermatological Science* 11(3):234–238.
12. Gurjala AN, Geringer MR, Seth AK, et al. 2011. Development of a novel, highly quantitative in vivo model for the study of biofilm-impaired cutaneous wound healing. *Wound Repair and Regeneration* 19(3):400–410.
13. Hoffman MD, Zucker LI, Brown PJB, et al. 2015. Timescales and Frequencies of Reversible and Irreversible Adhesion Events of Single Bacterial Cells. *Analytical Chemistry* 87(24):12032–12039.
14. Quirynen M, Bollen CM. 1995. The influence of surface roughness and surface-free energy on supra- and subgingival plaque formation in man. A review of the literature. *Journal of clinical periodontology* 22(1):1–14.

15. Busscher HJ, Uyen MH, van Pelt AW, et al. 1986. Kinetics of adhesion of the oral bacterium *Streptococcus sanguis* CH3 to polymers with different surface free energies. *Applied and environmental microbiology* 51(5):910–4.