Short-Term Comparison of Survivorship and Functional Outcomes for Metaphyseal Cones with Short and Long Stems in Revision Total Knee Arthroplasty

Emily Hampp¹, Sarah Shi¹, Manoshi Bhowmik-Stoker¹, Kevin Denehy², David Markel³, Michael Mont⁴

¹Stryker, Mahwah, NJ, ²Bluegrass Orthopaedics, Lexington, KY, ³The CORE Institute, Novi, MI, ⁴Rubin Institute for Advanced Orthopedics, Sinai Hospital of Baltimore, Baltimore, MD

emily.hampp@stryker.com

Disclosures: E. Hampp (3A; Stryker. 4; Stryker), S. Shi (3A; Stryker. 4; Stryker), M. Bhowmik-Stoker (3A; Stryker. 4; Stryker), K. Denehy (None), D. Markel (3B; Smith & Nephew, Stryker. 4; Arboretum Ventures, HOPCo, Plymouth Capital. 5; Ascension Providence Hospital, Stryker. 7A; Smith & Nephew. 8; Arthroplasty Today, Journal of Arthroplasty. 9; Michigan Arthroplasty Registry Collaborative Quality Initiative, Michigan Orthopedic Society), M. Mont (1; Stryker. 3B; Johnson & Johnson, Pfizer, Smith & Nephew, Stryker. 5; National Institutes of Health (NIAMS & NICHD). 7A; Stryker. 8; Journal of Arthroplasty, Knee Surgery, Sports Traumatology, Arthroscopy, Orthopedics. 9; Hip Society, Knee Society)

INTRODUCTION: Printed porous titanium metaphyseal cones have become a mainstay for managing bone loss in revision total knee arthroplasty (rTKA). A short or long stem is routinely used when implanting a cone to augment fixation and offload stresses. This retrospective analysis compared the midterm survivorship and functional outcomes for use of a short or long stem with a metaphyseal cone.

METHODS: A total of 181 cases using metaphyseal cones and stems with median follow-up of 1.84 years (IQR 0.60 - 2.04) were compared based on stem type. There were 57 cases with one or two long stem(s) and 124 cases with one or two short stem(s). Cases with both a long stem and a short stem were excluded. Demographics, Kaplan-Meier survivorship, and preoperative and one-year postoperative PROMs (2011 KSS function, satisfaction, and expectation; EQ5D; SF12 PCS scores) were compared using t-tests with a significance level of α =0.05.

RESULTS: There were no significant differences in BMI (mean \pm SD) or gender (male) between the short stem and long stem cohorts (32.2 \pm 5.6, 36.29% and 31.6 \pm 5.4, 38.60%, respectively; p>0.05). Patients with short stems were younger (66.0 \pm 9.0 vs. 68.9 \pm 9.2, p=0.049). Revision free survivorship for the femoral or tibial component was 100% for long stems and 98.06% for short stems at one year and two years, respectively (log-Rank p=0.5477). The two revisions in the short group were for infection, thus the survivorship for aseptic loosening was 100% at two years for both cohorts. There were no significant differences in preoperative or postoperative PROMs.

DISCUSSION: This study demonstrated highly porous printed metaphyseal cones provided RTKA with excellent early survivorship and similar PROMs whether a short or long stem was used. Additional studies will be needed to discern any long-term differences.

SIGNIFICANCE/CLINICAL RELEVANCE: Highly porous printed metaphyseal cones provided RTKA with excellent early survivorship and similar PROMs whether a short or long stem was used.